

Note: The text in the calligraphy font is that from Lyons's list, i.e. the first name given and the locality data. We have added the authorities to the names given by Lyons and then we have offered the current accepted name (from MolluscaBase) for each entry although we cannot confirm that all of Lyons's determination were accurate. We have not altered any of the spellings used by Lyons some of which are archaic, eg "muscle" rather than "mussel".

## Chiton

- C. marginatus Pennant, 1777  
*Lepidochitona cinerea* (Linnaeus, 1767)  
adhering to stones near low water mark, South Sands
- C. laevis Pennant, 1777  
*Callochiton septemvalvis* (Montagu, 1803)  
among refuse of a boat dredging oysters
- C. cinereus Linnaeus, 1767  
*Lepidochitona cinerea* (Linnaeus, 1767)  
D° D°
- C. albus Linnaeus, 1767  
*Ischnochiton albus* (Linnaeus, 1767)
- C. fascicularis Linnaeus, 1767  
*Acanthochitona fascicularis* (Linnaeus, 1767)  
on St Catherine's Rocks half tide
- C. punctatus Turton, 1819  
*Lepidochitona cinerea* (Linnaeus, 1767) ???  
among boat rubbish after dredging
- C. ruber Linnaeus, 1767  
*Boreochiton ruber* (Linnaeus, 1767)  
adhering to oysters
- C. maculatus Gmelin, 1791  
Not a British species  
on sands and stones near low water, S. Sands
- C. sexvalvis  
manuscript name  
D° D°

## Balanus

- B. communis Pulteney 1799  
*Perforatus perforatus* (Bruguière, 1789)  
adhering strongly to rocks, North Sands
- B. balanoides Linnaeus, 1767  
*Semibalanus balanoides* (Linnaeus, 1767)  
on rocks and other dredging substances
- B. punctatus Montagu, 1803  
*Chthamalus stellatus* (Poli, 1791)  
St Catherine's Rocks on the Patella vulgata
- B. rugosus Pulteney, 1799  
*Balanus crenatus* Bruguière, 1789  
D° &ctr

- B. clavatus Montagu, 1803  
*Semibalanus balanoides* (Linnaeus, 1767)  
St Catherine's Rocks
- B. tintabulum  
*Megabalanus tintinnabulum* (Linnaeus, 1758)  
on the bottom of a vessel in Tenby Pier  
1819 Animal alive
- B. D° variety  
on D° on a ship in Bristol Docks 1811.  
Animal alive by J. Walcott esq.
- B. costatus Montagu, 1803  
*Balanus balanus* (Linnaeus, 1758)  
on a piece of timber picked up in the bay
- B. conoides Montagu, 1803  
*Perforatus perforatus* (Bruguière, 1789)  
affixed to *Lepas ansifera* &ctr
- B. striatus Bruguière, 1789  
? *Semibalanus balanoides* (Linnaeus, 1767)  
on shells, stones, roots of algae
- B. radiatus Bruguière, 1789  
*Newmaniella radiata* (Brug. 1789)  
on a vessel in Tenby Pier
- B. scotica Wood, 1815  
*Balanus balanus* (Linnaeus, 1758)  
D° D° & Frith of Forth

## Lepas

- L. anatifera Linnaeus, 1758  
*Lepas anatifera* Linnaeus, 1758  
adhering to a large piece of timber picked up by a vessel off Caldoy
- L. anserifera Linnaeus, 1767  
*Lepas anserifera* Linnaeus, 1767  
on the bottom of a vessel in Tenby Pier
- L. sulcata Montagu, 1803  
*Lepas (Anatifa) pectinata* Spengler, 1793  
half a mile on S. Sands affixed to a deal spar
- L. scalpellum Linnaeus, 1767  
*Scalpellum scalpellum* (Linnaeus, 1767)  
by Captain Roberts
- L. fascicularis Ellis  
*Dosima fascicularis* (Ellis & Solander, 1786)  
on the S. Sands after a severe storm. at different times of all sizes
- L. membranacea Montagu, 1808  
*Conchoderma virgatum* Spengler, 1789  
on the B<sup>m</sup> of a ship in Tenby Pier
- L. cornuta Montagu, 1815  
*Conchoderma auritum* (Linnaeus, 1767)  
on D° D° animal alive
- L. vittata of Wood ? Wood, 1815  
*Conchoderma virgatum* Spengler, 1789
- L. dentata of Do variety of L. anatifera  
*Lepas anatifera* Linnaeus, 1758

## Pholas

- P. dactylus  
*Pholas dactylus* Linnaeus, 1758

burrow'd in decayed timber covered with the tide except at low water beyond Saundersfoot

**P. candidus**

*Barnea candida* (Linnaeus, 1758)

D° D°--beyond Saundersfoot 5 miles fm Tenby

**P. parvus**

*Barnea parva* (Pennant, 1777)

burrowed in soft stone St Catherines rock

**P. crispatus**

*Zirfaea crispata* (Linnaeus, 1758)

in clay near Milford Haven

**P. variety of P. dactylus**

D° in soft stone St. C<sup>s</sup> rock

**Pholas crassa** variety of **P. dactylus**

St Catherine's Rock

## Teredo

**T. navalis** Linnaeus, 1758

*Teredo navalis* Linnaeus, 1758

in decayed piles at the back of Tenby Pier in a large piece of timber picked up by a vessel in Carmarthen Bay

**T. sulcata** nov.

manuscript name

## Mya

**M. pholadia** Montagu, 1803

*Rocellaria dubia* (Pennant, 1777)

burrowed in the lower valve of large old oyster shells

– **arenaria** Linnaeus, 1758

*Mya arenaria* Linnaeus, 1758

half a foot below the surface of sand & gravel at the island of Caldy

– **truncata** Linnaeus, 1758

*Mya truncata* Linnaeus, 1758

lodged under gravel near low water mark

– **margaritifera** Linnaeus, 1758

*Margaritifera margaritifera* (Linnaeus, 1758)

rapid rivers Pembrokeshire

– **pictorum** Linnaeus, 1758

*Unio pictorum* (Linnaeus, 1758)

D° D°

– **inaequivalvis** Montagu, 1803

*Corbula gibba* (Olivi, 1792)

on South Sands & Saundersfoot Sands

– **suborbicularis** Montagu, 1803

*Kellia suborbicularis* (Montagu, 1803)

embedded in Limestone

– **pubescens** Pulteney, 1799

*Thracia pubescens* (Pulteney, 1799)

on South Sands & Saundersfoot Sands

– **praetenuis** Pulteney, 1799

*Cochlodesma praetenuis* (Pulteney, 1799)

D° D°

– **distorta** Montagu, 1803

*Thracia distorta* (Montagu, 1803)

among boat refuse after dredging

– **bidentata** Montagu, 1803

*Kurtiella bidentata* (Montagu, 1803)

burrowed in the valves of old oyster shells, S. Sands

– **ferruginosa** Montagu, 1803

*Tellimya ferruginosa* (Montagu, 1803)

on the South Sands

– **prismatica** Montagu, 1808

*Abra prismatica* (Montagu, 1808)

on the shore near Manorbier

– **substriata** Montagu, 1803

*Montacuta substriata* (Montagu, 1808)

on the spines of an Echinus dredged in the Bay

– **purpurea** Montagu, 1808

*Turtonia minuta* (Fabricius, 1780)

beyond Manorbier

## Mactra

**M. solida** Linnaeus, 1758

*Spisula solida* (Linnaeus, 1758)

Muscle bank under Gilter Rocks

– **subtruncata** da Costa, 1778

*Spisula subtruncata* (da Costa, 1778)

sandy beach Saundersfoot

– **stultorum** Linnaeus, 1758

*Mactra stultorum* (Linnaeus, 1758)

D° D° & South Sands

– **dealbata** Pulteney in Montagu, 1803

*Standella pellucida* (Gmelin, 1791)

This is an exotic species, not clear what Lyons had

D° D° D°

– **compressa** Pulteney, 1799

*Scrobicularia plana* (da Costa, 1778)

at the mouth of the river near Tenby

– **boysii** Montagu, 1803

*Abra alba* (W. Wood, 1802)

beach near Saundersfoot

– **triangularis** Montagu, 1803

*Goodallia triangularis* (Montagu, 1803)

sand from Caldy

– **lutraria** Linnaeus, 1758

*Lutraria lutraria* (Linnaeus, 1758)

at D° and South Sands

– **hians** Pulteney, 1799

*Lutraria oblonga* (Gmelin, 1791)

D° D° & Fishguard

– **truncata** Montagu, 1808

*Spisula solida* (Linnaeus, 1758)

Muscle Bank

– **minutissima** Montagu, 1808

*Goodallia triangularis* (Montagu, 1803)

in sand from Caldy

– **cinerea**, large variety of **M. stultorum**

Montagu, 1803

*Mactra stultorum* (Linnaeus, 1758)

## Donax

**D. trunculus** Linnaeus, 1758

*Donax trunculus* Linnaeus, 1758

- plentiful between Tenby & Llaugharne
- *rubra* Montagu, 1808  
Uncertain but from Turton it is probably *Ervilia castanea* Montagu, 1803  
in fine sand from Caldy Island
- *irus* Linnaeus, 1758  
*Irus irus* (Linnaeus, 1758)  
thrown upon the S. Sands after a storm

## Venus

- V. — *fasciata*  
*Clausinella fasciata* (E.M. da Costa, 1778)  
on the South Sands
- *paphia* Montagu, 1803  
*Clausinella fasciata* (E.M. da Costa, 1778)  
in oyster boats Milford Haven
- *verrucosa*  
*Venus verrucosa* Linnaeus, 1758  
D°\_ D°\_ and on the South Sands
- *striatula*  
*Chamelea striatula* (E.M. da Costa, 1778)  
on the sands Saundersfoot
- *islandica*  
*Arctica islandica* (Linnaeus, 1767)  
D°\_ D°\_ and Gilter
- *exoleta*  
*Dosinia exoleta* (Linnaeus, 1758)  
D°\_ D°\_ South Sands
- *undata*  
*Mysia undata* (Pennant, 1777)  
North Sands and D°
- *sinuosa*  
*Mysia undata* (Pennant, 1777)  
D°, very rare
- *ovata*  
*Timoclea ovata* (Pennant, 1777)  
on all parts of the sands
- *decussata*  
*Ruditapes decussatus* (Linnaeus, 1758)  
Caldy island
- *pullastra* Montagu, 1803  
*Venerupis corrugata* (Gmelin, 1791)  
D°\_ South Sands
- *perforans* Montagu, 1803  
*Venerupis corrugata* (Gmelin, 1791)  
St Catherines
- *virginea* Linnaeus, 1758 nom. dub.  
*Politapes rhomboides* (Pennant, 1777)  
on the South Sands & in the trawl much larger size
- *aurea*  
*Politapes aureus* (Gmelin, 1791)  
D°\_ D°\_ and from off Lands End
- *sulcata*  
*Astarte sulcata* (E.M. da Costa, 1778)  
Oyster boats Milford Haven
- *danmonia* Montagu, 1808  
*Astarte sulcata* (E.M. da Costa, 1778)  
on the South Sands

- *scotica* Maton & Racket, 1807  
*Astarte sulcata* (da Costa, 1778)  
D°\_ and from the Trawler
- *lactea* Donovan, 1803  
*Venus casina* Linnaeus, 1758  
D°\_ D°\_
- *cassina*  
*Venus casina* Linnaeus, 1758  
Milford Haven
- *reflexa* Montagu, 1808  
*Venus casina* Linnaeus, 1758  
D°\_ D°\_
- *triangularis*  
*Gouldia minima* (Montagu, 1803)  
Oyster boats Milford Haven

## Solen

- S. *siliqua*  
*Ensis siliqua* (Linnaeus, 1758)  
buried to the depth of a foot, S. Sands
- *ensis*  
*Ensis ensis* (Linnaeus, 1758)  
D°\_ D°\_ near low water mark
- *vagina*  
*Solen marginatus* Pulteney, 1799  
D°\_ the sands Saundersfoot
- *pellucidus*  
*Phaxas pellucidus* (Pennant, 1777)  
Saundersfoot D°\_ two miles from Tenby
- *legumen*  
*Pharus legumen* (Linnaeus, 1758)  
D°\_ D°\_ and South Sands
- *antiquatus* Pulteney, 1799  
*Azorinus chamasolen* (da Costa, 1778)  
rare Milford Haven
- *minutus* Linnaeus, 1767  
*Hiatella arctica* (Linnaeus, 1767)  
Oyster boats &c\_
- *vespertinus* Gmelin, 1791  
*Gari depressa* (Pennant, 1777)  
on the coast near Milford Haven
- *floridus* Psammobia floridus of Turton 1822  
*Gari tellinella* (Lamarck, 1818)  
S. Sands
- *pinna*  
*Pandora pinna* (Montagu, 1803)  
Dredged off Caldy
- *squamosus*  
*Lepton squamosum* (Montagu, 1803)  
among refuse of Oyster boats

## Tellina

- T. *fervensis*  
*Gari fervensis* (Gmelin, 1791)  
on all parts of the coast of Pembrokeshire
- D°\_ variety, bright yellow  
*Gari fervensis* (Gmelin, 1791)  
S. Sands after a storm of wind
- *squalida*  
*Tellina incarnata* Linnaeus, 1758

- on the sands Saundersfoot
- donacina  
*Moerella donacina* (Linnaeus, 1758)  
dredged in the bay and on South Sands
- tenuis  
*Macomangulus tenuis* (E.M. da Costa, 1778)  
on all parts of the sands
- fabula  
*Fabulina fabula* (Gmelin, 1791)  
plentiful on Saundersfoot sandy shore
- solidula Pulteney, 1799  
*Limecola balthica* (Linnaeus, 1758)  
common in the bays along the coast
- crassa  
*Arcopagia crassa* (Pennant, 1777)  
in the trawl off Worms Head
- D°\_ variety, half grown shell  
*Arcopagia crassa* (Pennant, 1777)  
Milford
- T. radula Montagu, 1803  
*Lucinoma borealis* (Linnaeus, 1767)  
sea shore Caldy Island
- rotundata  
*Diplodonta rotundata* (Montagu, 1803)  
D°\_ D°\_ D°\_
- maculata, a variety of of T. tenuis Adams  
*Arcopella balaustina* (Linnaeus, 1758)
- fragilis  
*Gastrana fragilis* (Linnaeus, 1758)  
sandy beach about two miles from Tenby

## Cardium

- C. edule  
*Cerastoderma edule* (Linnaeus, 1758)  
on all coasts where the shore is sandy
- D°\_ variety  
*Cerastoderma edule* (Linnaeus, 1758)  
near Gilter Rocks
- echinatum  
*Acanthocardia echinata* (Linnaeus, 1758)  
by dredging
- ciliare  
*Cardium ciliare* Linnaeus, 1758. nomen dubium  
D°\_ & South Sands after a gale
- laevigatum  
*Laevicardium crassum* (Gmelin, 1791)  
dredging in Tenby Bay
- exiguum  
*Parvicardium exiguum* (Gmelin, 1791)  
D°\_ & and on the shore
- rubrum  
*Lasaea rubra* (Montagu, 1803)  
on St Catherines rocks half tide
- fasciatum Montagu, 1803  
*Parvicardium pinnulatum* (Conrad, 1831)  
on the coast and at Laugharne of a large size
- corneum  
*Sphaerium corneum* (Linnaeus, 1758)  
in a small river near Tenby

- amnicum  
*Pisidium amnicum* (O.F. Müller, 1774)  
D°\_ D°\_
- lacustre  
*Musculium lacustre* (O.F. Müller, 1774)  
D°\_ D°\_ and ponds

## Arca

- A. pilosa Linnaeus, 1767  
*Glycymeris glycymeris* (Linnaeus, 1758)  
oyster boats Milford Haven
- lactea  
*Striarca lactea* (Linnaeus, 1758)  
on the South Sands
- noae  
probably *Arca tetragona* Poli, 1795. *noae* is  
Mediterranean  
dredged off Mumstone in the bay
- barbata var. of A. perforans Turton, 1819  
*Striarca lactea* (Linnaeus, 1758)  
D°\_ near Milford
- minuta  
*Nuculana minuta* (O.F. Müller, 1776)  
dredged off Caldy
- nucleus  
*Nucula nucleus* (Linnaeus, 1758)  
at Saundersfoot sands & cr

## Pecten

- P. maximus  
*Pecten maximus* (Linnaeus, 1758)  
dredged from oyster beds in the bay
- jacobaeus  
*Pecten jacobaeus* (Linnaeus, 1758) not British  
on the South Sands
- opercularis  
*Aequipecten opercularis* (Linnaeus, 1758)  
dredged from Caldy beds
- varius  
*Mimachlamys varia* (Linnaeus, 1758)  
Do\_ Do\_ common
- lineatus E.M. da Costa, 1778  
*Aequipecten opercularis* (Linnaeus, 1758)  
on the South Sands & dredging
- distortus E.M. da Costa, 1778  
*Talochlamys pusio* (Linnaeus, 1758)  
Do\_ in deep water affixed to stones & cr
- obsoletus Pennant, 1777  
*Palliolum tigerinum* (O.F. Müller, 1776)  
under Gilter Rocks
- pusio  
*Talochlamys pusio* (Linnaeus, 1758)  
dredged near Stackpole Head

## Ostrea

- O. edulis  
*Ostrea edulis* Linnaeus, 1758  
in vast beds many parts of the coast
- striata E.M. da Costa, 1778  
*Ostrea edulis* Linnaeus, 1758  
on rocks low water mark

- *parasitica* Turton, 1819  
*Ostrea edulis* Linnaeus, 1758  
adhering to a piece of timber picked up by a boat in the Bay
- *crista galli*  
*Lopha cristagalli* (Linnaeus, 1758) (Indian Ocean)  
more likely was *Dendostrea frons* (Linnaeus, 1758) (Caribbean)  
on the bottom of a vessel in Tenby Pier

## Anomia

- A. *ephippium* Linnaeus, 1758  
*Anomia ephippium* Linnaeus, 1758  
by the dredge fixed to oysters, rocks &c
- *squamula* Linnaeus, 1758  
*Heteranomia squamula* (Linnaeus, 1758)  
D° Lobsters, crabs & other bodies
- *aculeata* Linnaeus, 1758  
*Heteranomia squamula* (Linnaeus, 1758)  
adhering roots of algae &ctr
- *undulata* Gmelin 1791  
*Pododesmus patelliformis* (Linnaeus, 1761)  
affixed to shells stones & crabs
- *cymbiformis* Maton & Rackett, 1807  
*Heteranomia squamula* (Linnaeus, 1758)  
Do\_ & on the stalks of *Fucus digitatus*
- *electrica* Linnaeus, 1758  
*Anomia ephippium* Linnaeus, 1758  
affixed to *Pecten maximus*

## Mytilus

- M. *edulis*  
*Mytilus edulis* Linnaeus, 1758  
in beds near Gilter
- *incurvatus* Pennant, 1777  
*Modiolus barbatus* (Linnaeus, 1758)  
rocks beyond East Wear Sands
- *pellucidus* Pennant, 1777  
*Mytilus edulis* Linnaeus, 1758  
St Catherines
- *barbatus*  
*Modiolus barbatus* (Linnaeus, 1758)  
deep water dredging
- *modiola*  
*Modiolus modiolus* (Linnaeus, 1758)  
D°\_ D°\_
- *umbilicatus* Pennant, 1777  
*Modiolus modiolus* (Linnaeus, 1758)  
deep dredging
- *praecisus* Montagu, 1803  
*Sphenia binghami*, Turton, 1822  
refuse of oyster boats
- *discors*  
*Musculus discors* (Linnaeus, 1767)  
among leaves of *Fuci*
- *discrepans* Montagu, 1803  
*Musculus discors* (Linnaeus, 1767)  
in the Trawl"" & dredging
- *cygneus*  
*Anodonta cygnea* (Linnaeus, 1758)

- in the extensive ponds Stackpool Court
- *avonensis* Montagu, 1803  
? *Unio pictorum* (Linnaeus, 1758)  
in Gumferston Brook

- *stagnalis*  
? *Anodonta cygnea* (Linnaeus, 1758)  
Stackpole Pond

## Nautilus

Foraminifera

- N. *beccarii*  
*Ammonia beccarii* (Linnaeus, 1758)  
on the roots of algae and on the shells of oysters
- *beccarii perversus*  
D°\_ D°\_ & in fine sand
- *crispus*  
*Elphidium crispum* (Linnaeus, 1758)  
on oysters & with the preceding species
- D°\_ *baricty*  
sand from the South Sands
- *laevigatulus*  
*Nautilus laevigatulus* Walker & Jacob, 1798  
on oysters and D°
- *calcar*  
*Lenticulina calcar* (Linnaeus, 1758)  
dredged roots of algae
- *depressulus*  
*Haynesina depressula* (Walker & Jacob, 1798)  
D°\_ D°\_ and fine sand
- *umbilicatus*  
*Nautilus umbilicatus* Walker & Jacob, 1798  
on shells, corallines &c
- *crassulus*  
*Nonion crassulum* (Walker & Jacob, 1798)  
D°\_ D°\_ and drifted sand
- *nitidus*  
in fine sand
- *inflatus*  
*Trochammia inflata* (Montagu, 1808)  
D°\_ from the South Sands
- *carinatulus*  
*Nautilus carinatulus* Walker & Jacob, 1798  
D° and the South Sands
- *subarcuatulus*  
*Astacolus subarcuatulus* (Walker & Jacob, 1798)  
in fine sand
- *radicula*  
*Nodosaria radicula* (Linnaeus, 1758)  
on shells and other substances
- *linearis*  
*Vaginulina linearis* (Montagu, 1808)  
in sand from the coast beyond Pembroke
- *rectus*  
*Nautilus rectus* Montagu, 1803  
D°\_ D°\_ & at Tenby, small
- *spirula*  
North and South Sands

## Cypraea

- C. pediculus  
probably *Trivia monacha* (E.M. da Costa, 1778).  
*pediculus* is Caribbean.  
found in abundance on the South Sands
- arctica  
*Trivia arctica* (Pulteney, 1799)
- bullata Montagu, 1803  
*Trivia arctica* (Pulteney, 1799)

## Bulla

- B. lignaria  
*Scaphander lignarius* (Linnaeus, 1758)  
dredged Milford Haven & Tenby small
- aperta  
*Philine aperta* (Linnaeus, 1767)  
East Wear near low tide & South Sands
- haliotoidea Montagu, 1803  
*Lamellaria perspicua* (Linnaeus, 1758)  
Dredged and D°\_ D°\_
- plumula  
*Berthella plumula* (Montagu, 1803)  
Milford Haven
- catena  
*Philine catena* (Montagu, 1803)  
in fine sand from Caldy Island
- D° variety  
with the preceding species
- emarginata J. Adams, 1800  
*Philine aperta* (Linnaeus, 1767)  
in fine sand nr St Catherines
- denticulata  
*Philine denticulata* (J. Adams, 1800)  
Tenby shore
- hydatis  
*Haminoea hydatis* (Linnaeus, 1758)  
Gilter and Milford Haven
- akera  
*Akera bullata* O.F. Müller, 1776  
D°\_ South Sands
- cylindracea  
*Cylichna cylindracea* (Pennant, 1777)  
D°\_ and on the extensive sands from  
Tenby to Laugharne
- truncata J. Adams, 1800  
*Retusa truncatula* (Bruguère, 1792)  
D°\_ D°\_ and Gilter
- obtusa  
*Retusa obtusa* (Montagu, 1803)  
South Sands
- diaphana Montagu, 1803  
*Trivia arctica* (Pulteney, 1799)  
near Gilter
- fontinalis  
*Physa fontinalis* (Linnaeus, 1758)  
ditches and ponds Gumferston
- hypnorum  
*Aplexa hypnorum* (Linnaeus, 1758)  
in a pond and brook near Penally

- flexilis Montagu, 1808  
*Velutina plicatilis* (O.F. Müller, 1776)  
South sands
- fluviatilis Turton, 1807  
*Physa fontinalis* (Linnaeus, 1758)  
rivulet near Gumferston
- alba Turton, 1825  
*Physa fontinalis* (Linnaeus, 1758)  
D°\_ pools of water and ditches
- aphysia  
*Aplysia punctata* (Cuvier, 1803)  
Rock pools of sea water Manorbeer
- minuta  
*Diaphana minuta* T. Brown, 1827  
in fine sand
- hyalina Turton, 1834  
*Diaphana minuta* T. Brown, 1827  
D°\_ and Caldy Island
- catena  
*Philine catena* (Montagu, 1803)  
fine sand from D°\_
- membranacea  
*Pleurobranchus membranaceus* (Montagu,  
1816)  
Dredging

## Voluta

- V. tornatilis  
*Acteon tornatilis* (Linnaeus, 1758)  
Saundersfoot sands, Sth Sands
- denticulata  
*Myosotella denticulata* (Montagu, 1803)  
inlets of the sea on alga
- ringens Turton, 1819  
*Myosotella denticulata* (Montagu, 1803)  
on Gumferston sea marsh
- alba Turton, 1819  
*Auriculinea bidentata* (Montagu, 1808)  
in sand from Caldy Island
- bidentata  
*Auriculinea bidentata* (Montagu, 1808)  
D°\_ and South Sands

## Buccinum

- B. undatum  
*Buccinum undatum* Linnaeus, 1758  
taken in dredging & on rock
- carinatum variety of B. undatum  
*Buccinum undatum* Linnaeus, 1758
- lapillus  
*Nucella lapillus* (Linnaeus, 1758)  
on St Catherines Rocks &c
- reticulatum  
*Tritia reticulata* (Linnaeus, 1758)  
Gilter & Broad Haven
- macula Montagu, 1803  
*Tritia incrassata* (Strøm, 1768)  
D°\_ and South Sands
- minimum Montagu, 1803  
*Chauvetia brunnea* (Donovan, 1804)

- in sand from Caldy Island
- *terrestre* Montagu, 1803  
*Cecilioides acicula* (Müller, 1774)  
" of grass & moss nr Penally
- *obtusulum* Kanmacher, 1798  
*Cecilioides acicula* (Müller, 1774)  
Gilter Rocks, fry of *B. undatum*
- *breve* J Adams, 1797  
*Nucella lapillus* (Linnaeus, 1758)  
in sand from Caldy Island
- *minutum* Pennant, 1777  
*Tritia incrassata* (Strøm, 1768)  
in fine sand from Manorbeer
- *laeve* J Adams, 1797  
*Nucella lapillus* (Linnaeus, 1758)  
D°\_ and sand from Caldy Island
- variety of *B. undatum* with the volutions reversed  
*Buccinum undatum* Linnaeus, 1758  
Gilter Rocks
- Strombus**
- S. *pespelecani*  
*Aporrhais pespelecani* (Linnaeus, 1758)  
South Sands & Milford Haven
- Murex**
- M. *despectus* Linnaeus,  
A northern species so expect this is *Neptunea antiqua* Linnaeus, 1758  
on the coast between Fishguard and Tenby
- *corneus* E.M. da Costa non Linnaeus  
*Colus gracilis* (E.M. da Costa, 1778)  
D°\_ and South Sands
- *erinaceus* Linnaeus, 1758  
*Ocenebra erinaceus* (Linnaeus, 1758)  
Gilter & oyster boats
- *purpureus* Montagu, 1803  
*Raphitoma purpurea* (Montagu, 1803)  
Dredging
- *linearis* Montagu, 1803  
*Raphitoma linearis* (Montagu, 1803)  
D°\_ and South Sands
- *muricatus* Montagu, 1803  
*Trophonopsis muricata* (Montagu, 1803)  
among refuse of oyster boats
- *turricula* Montagu, 1803  
*Propebela turricula* (Montagu, 1803)  
D°\_ and South Sands
- *rufus* Montagu, 1803  
*Propebela rufa* (Montagu, 1803)  
D°\_ D°\_
- *sinuosus* Montagu, 1803  
*Drillia sinuosa* (Montagu, 1803)  
This is not British so uncertain about what Lyons had.  
D°\_ and Gilter
- *costatus* Pennant, 1777  
*Mangelia costata* (Pennant, 1777)  
Dredging
- *attenuatus* Montagu, 1803

- Mangelia attenuata* (Montagu, 1803)  
D°\_ and South Sands
- *gracilis* Montagu, 1803  
*Comarmondia gracilis* (Montagu, 1803)  
oyster boats
- *nebula* Montagu, 1803  
*Bela nebula* (Montagu, 1803)  
D°\_ and Gilter  
— D°\_ variety  
D°\_ D°\_
- *septangularis* Montagu, 1803  
*Haedropleura septangularis* (Montagu, 1803)  
D°\_ and South Sands
- *tubercularis* Montagu, 1803  
*Cerithiopsis tubercularis* (Montagu, 1803)  
Dredging
- *adversus* Montagu, 1803  
*Marshallora adversa* (Montagu, 1803)  
oyster boats
- *reticulatus* E.M. da Costa, 1778)  
*Bittium reticulatum* (da Costa, 1778)  
common on sandy shores
- *minutissimus* Adams, 1797  
Not in MolluscaBase or Jeffreys  
in sand from Caldy Island
- *bamffius* Donovan, 1804  
*Boreotrophon clathratus* (Linnaeus, 1767)  
South Sands & dredging
- *gyrineus* Montagu, 1808  
This is not a British shell so what Lyons had is doubtful  
fine sand from Caldy
- Trochus**
- T. *zizyphinus* Linnaeus, 1758  
*Calliostoma zizyphinum* (Linnaeus, 1758)  
Gilter Rocks
- *tenuis* Montagu, 1803  
*Calliostoma granulatum* (Born, 1778)  
Milford Haven and sea coast
- *tumidus* Montagu, 1803  
*Gibbula tumida* (Montagu, 1803)  
affixed to stones and dredged
- *crassus* Pulteney, 1799  
*Phorcus lineatus* (da Costa, 1778)  
adhering to rocks Caldy Island
- *magus* Linnaeus, 1758  
*Gibbula magus* (Linnaeus, 1758)  
by dredging & at Milford
- *cinerarius* Linnaeus, 1758  
*Steromphala cineraria* (Linnaeus, 1758)  
adhering to loose stones. dredge
- *umbilicatus* E.M. da Costa, 1778  
*Steromphala umbilicalis* (E.M. da Costa, 1778)  
St Catherines Rocks
- *conulus* Linnaeus, 1758  
*Calliostoma conulus* (Linnaeus, 1758)  
This is a Mediterranean shell and doubtfully found at Tenby  
dredged in the Bay

## Turbo

- T. *terebra* Linnaeus, 1758  
*Not British so expect it is Turritella communis*  
Risso, 1826  
adhering to alga thrown upon the shore  
— *cinctus* E.M. da Costa, 1778 variety of T.  
*terebra*  
As above  
Milford Haven,  
— *clathrus*  
*Epitonium clathrus* (Linnaeus, 1758)  
on the shore Tenby & Laugharne  
— *clathratulus*  
*Epitonium clathratulum* (Kanmacher, 1798)  
D° & Gilter  
— *elegantissimus* Montagu, 1803  
*Turbonilla lactea* (Linnaeus, 1758)  
in sand from the South Sands  
— *unicus* Montagu, 1803  
*Graphis albida* (Kanmacher, 1798)  
D° & fine sand from Caldy Island  
— *littoreus* Linnaeus, 1758  
*Littorina littorea* (Linnaeus, 1758)  
on Gilter Rocks & cr  
— *tenebrosus* Montagu, 1803  
*Littorina saxatilis* (Olivi, 1792)  
D° and Stackpole quay  
— *rudis* Maton, 1797  
*Littorina saxatilis* (Olivi, 1792)  
on rocks on the pier & Milford Haven  
— *striatulus* E.M. da Costa, 1778  
*Alvania carinata* (da Costa, 1778)  
sand from South Sands  
— *vinctus* Montagu, 1803  
*Lacuna vincta* (Montagu, 1803)  
on algae St Catherines Rock  
— *canalis* Montagu, 1803  
*Lacuna vincta* (Montagu, 1803)  
D° & Gilter  
**Turbo**  
T. *crassior*  
*Lacuna crassior* (Montagu, 1803)  
dredged and on the shore  
— *parvus*  
*Rissoa parva* (E.M. da Costa, 1778)  
adhering algae St. Catherines Rock  
— *costatus* J. Adams, 1797  
*Manzonia crassa* (Kanmacher, 1798)  
D° & in fine sand from Caldy Island  
— *striatus* J. Adams, 1797  
*Onoba semicostata* (Montagu, 1803)  
D° D° & South Sands  
— *cimex*  
*Alvania cimex* (Linnaeus, 1758)  
sand from South Sands  
— *ventrosus*  
*Ecrobia ventrosa* (Montagu, 1803)  
on the shores of Tenby and Laugharne

- *ulvae*  
*Peringia ulvae* (Pennant, 1777)  
D° & Milford Haven  
— *pullus*  
*Tricolia pullus* (Linnaeus, 1758)  
sand from Caldy Island and on algae  
— *punctura*  
*Alvania punctura* (Montagu, 1803)  
in fine sand from D°  
— *ruber* J. Adams, 1797  
*Barleeia unifasciata* (Montagu, 1803)  
South Sand & Manorbeer  
— *vitreus*  
*Hyala vitrea* (Montagu, 1803)  
D° and Caldy Island  
— *spiralis*  
*Spiralinella spiralis* (Montagu, 1803)  
D° & Lydstep sands  
— *interstinctus*  
*Parthenina interstincta* (J. Adams, 1797)  
D° & Caldy  
— *unidentatus*  
*Odostomia unidentata* (Montagu, 1803)  
on oyster & other shells  
— *plicatus*  
*Odostomia plicata* (Montagu, 1803)  
D° dredged & roots of algae  
— *pallidus*  
*Turbo pallidus* Montagu, 1803 nom dub.  
on oysters & cr  
— *semicostatus*  
*Onoba semicostata* (Montagu, 1803)  
D° and Caldy Island sand  
— *cingillus* Montagu, 1803  
*Cingula trifasciata* (J. Adams, 1800)  
South Sands & from D°  
— *quadrifasciatus* Montagu, 1803  
*Lacuna vincta* (Montagu, 1803)  
D° and St Catherines Rocks  
— *interruptus* J. Adams, 1800  
*Rissoa parva* (da Costa, 1778)  
dredged & South Sands  
— *retiformis* Montagu, 1803  
*Alvania punctura* (Montagu, 1803)  
fine sand from D°  
— *fuscus*  
*Turbo fuscus* nomen dubium  
in D° from Tenby Pier washed ashore  
— *sandvicensis* Turton in Montagu, 1803,  
*Turbo sandvicensis* Montagu, 1803 nom dub.  
in sand from Caldy  
— *albulus*  
*Pusillina inconspicua* (Alder, 1844)  
D° & from South Sands  
**Turbo**  
*Turbo scriptus* J. Adams, 1797  
*Crisilla semistriata* (Montagu, 1808)  
in fine sand from Caldy Island



## T. subrufus

- Turbo subrufus* J. Adams, 1797 nom. dub.  
D°\_ and South Sands
- jugosus Montagu, 1803  
*Littorina saxatilis* (Olivi, 1792)  
Rocks Manorbeer
  - fulgidus  
*Eatonina fulgida* (J. Adams, 1797)  
in fine sand from Caldý
  - semistriatus  
*Crisilla semistriata* (Montagu, 1808)  
D°\_ and South Sands
  - indistinctus  
*Parthenina indistincta* (Montagu, 1808)  
in sand from Caldý
  - insculptus Montagu, 1803  
*Ondina divisa* (J. Adams, 1797)  
in fine sand from D°\_
  - Rocks Leadstep
  - ascaris  
*Aclis ascaris* (Turton, 1819)  
in fine sand from South Sands
  - ambiguus Linnaeus  
*Epitonium turtonis* (Turton, 1819) probably this  
species see Dillwyn, 1817, p. 855  
found at Tenby above thirty years ago and  
named by Col. Montagu Dr Turton's  
Dictionary, Turtonis

## Land & Freshwater

### Turbo muscorum

- Pupilla muscorum* (Linnæus, 1758)  
under the upper stones of the loose built  
walls north side of the town
- pupa marginata T. chrysalis  
*Pupilla muscorum* (Linnæus, 1758)  
Do\_ and near the river
  - sexdentatus  
*Vertigo antivertigo* (Draparnaud, 1801)  
among the rejectamenta of the D°\_
  - carychium  
uncertain identity  
under old timber nr Gumferston
  - elegans J. Adams, 1797  
uncertain identity  
roots of ferns to the S. west of Tenby
  - fasciatus Pennant, 1777  
*Cochlicella acuta* (O.F. Müller, 1774)  
Burrows near Penally
  - perversus  
*Balea perversa* (Linnæus, 1758)  
adhering to the trunks of trees
  - nigricans Maton & Racket, 1807  
*Clausilia (Clausilia) rugosa* (Draparnaud, 1801)  
ivy grown walls
  - vertigo Montagu, 1803  
*Vertigo angustior* Jeffreys, 1830  
under stones and moss

## Helix

### H. stagnalis

- Lymnaea stagnalis* (Linnaeus, 1758)  
Stackpole Court
- fragilis Montagu, 1803  
*Lymnaea stagnalis* (Linnaeus, 1758)  
D°\_ in the extensive ponds
  - palustris  
*Stagnicola palustris* (O.F. Müller, 1774)  
near Gumferston
  - fossarius Montagu, 1803  
*Galba truncatula* (O.F. Müller, 1774)  
D°\_ in moist muddy ditches nr Penally
  - peregra  
*Radix labiata* (Rossmässler, 1835)  
stagnant pools D°\_ D°\_
  - putris  
*Succinea putris* (Linnaeus, 1758)  
in muddy places
  - auricularia  
*Radix auricularia* (Linnaeus, 1758)  
Kilgaren & Gumferston Rivers
  - lutea Montagu, 1803  
*Radix balthica* (Linnaeus, 1758)  
in the South Sands
  - limosa  
*Radix balthica* (Linnaeus, 1758)  
in the brook near Gumferston
  - laevigata Linnaeus, 1758  
*Velutina velutina* (O.F. Müller, 1776)  
on the shore & dredging
  - tentaculata  
*Bithynia tentaculata* (Linnaeus, 1758)  
in the rivulet near Penally
  - lubrica  
*Cochlicopa lubrica* (O.F. Müller, 1774)  
under stones, trunks of trees &ctr
  - polita  
*Melanella alba* (E.M. da Costa, 1778)  
dredged and South Sands
  - labiosa  
*Rissoa membranacea* (J. Adams, 1800)  
D°\_ and adhering to algae Gilter Rocks
  - petraea  
*Melarhapha neritoides* (Linnaeus, 1758)  
on rocks a little beneath high water mark
  - aspersa  
*Cornu aspersum* (O.F. Müller, 1774)  
hedges and in old walls
  - nemoralis  
*Cepaea nemoralis* (Linnaeus, 1758)  
Burrows near Penally
  - hortensis  
*Cepaea hortensis* (O.F. Müller, 1774)  
gardens and hedges
  - virgata  
*Cernuella virgata* (E.M. da Costa, 1778)  
barren stony situations near the coast
  - cingenda

- Theba pisana* (O.F. Müller, 1774)  
Tenby marsh near cliffs
- rufescens  
*Arianta arbustorum* (Linnæus, 1758)  
moist woods and shady places
  - hispida  
*Trochulus hispidus* (Linnæus, 1758)  
in moss and under stones
  - lucida  
*Oxychilus cellarius* (O.F. Müller, 1774)  
swampy places ctr
- ## Helix
- H. trochiformis  
*Euconulus trochiformis* (Montagu, 1803)  
D°\_ under old timber near Gumferston
- lacuna Montagu, 1803  
*Lacuna parva* (E.M. da Costa, 1778)  
attached to algae Sr Catherine's rocks
  - caperata  
*Candidula intersecta* (Poiret, 1801)  
dry banks near the coast
  - radiata E.M. da Costa, 1778  
*Discus rotundatus* (O.F. Müller, 1774)  
D°\_ and on old walls near Penally
  - umbilicata  
*Pyramidula umbilicata* (Montagu, 1803)  
on loose built walls near Penally
  - ericetorum O.F. Müller, 1774  
*Helicella itala* (Linnaeus, 1758)  
sandy heaths
  - subcarinata  
*Tornus subcarinatus* (Montagu, 1803)  
in fine sand from Caldý &ctr
  - depressa  
*Skeneopsis planorbis* (Fabricius, 1780)  
D°\_ and from the South Sands
  - paludosa E.M. da Costa, 1778  
*Vallonia pulchella* (O.F. Müller, 1774)  
wet swampy situations near Gumferston
  - crenella  
*Vallonia costata* (O.F. Müller, 1774)  
D°\_ and near the Rivulet
  - cornea  
*Planorbarius corneus* (Linnæus, 1758)  
Milford Haven River
  - complanata  
*Hippeutis complanatus* (Linnæus, 1758)  
D°\_ and near Gumferston
  - carinata  
*Planorbis carinatus* O.F. Müller, 1774  
D°\_ D°\_ near Penally
  - vortex  
*Anisus vortex* (Linnæus, 1758)  
D°\_ and Ditches Burrows
  - spirorbis  
*Anisus spirorbis* (Linnæus, 1758)  
ponds Stackpole
  - contorta

- Bathymophalus contortus* (Linnæus, 1758)  
D°\_ and Ditches
- alba  
*Gyraulus albus* (O.F. Müller, 1774)  
in a pond nr the Pembroke road
  - nautila  
*Planorbis cristatus* Draparnaud, 1805  
D°\_ & near Gumferston
  - subulata  
*Eulima glabra* (E.M. da Costa, 1778)  
in fine sand from Freshwater West
  - auricula  
uncertain  
Gilter Rocks
  - lanthina fragilis  
*Janthina janthina* (Linnaeus, 1758)  
"" after a gale
- ## Nerita
- N. litoralis  
*Littorina obtusata* (Linnaeus, 1758)  
adhering to algae St. Catherines Rocks
  - pallidula  
*Lacuna pallidula* (E.M. da Costa, 1778)  
D°\_ D°\_ & at Gilter
  - glaucina Linnaeus ex auct  
probably *Euspira nitida* (Donovan, 1804)  
South and Laugharne sands
  - fluviatilis  
*Theodoxus fluviatilis* (Linnaeus, 1758)  
Gumferston Rivulet adhering to stones
  - alba  
probably juvenile *Euspira nitida* (Donovan, 1804)  
on the coast and Caldý
  - canrena Linnaeus ex auct  
probably *Euspira nitida* (Donovan, 1804)  
D°\_ D°\_ in stomach of starfish
  - rufa  
*Euspira montagui* (Forbes, 1838)  
on fuci at low water during spring tides
  - mammilla  
probably *Euspira nitida* (Donovan, 1804)  
South Sands & Caldý
- ## Patella
- P. vulgata  
*Patella vulgata* Linnaeus, 1758  
affixed to rocks North shore
  - pellucida  
*Patella pellucida* Linnaeus, 1758  
adhering to the leaves of algae
  - fluviatilis  
*Ancylus fluviatilis* O.F. Müller, 1774  
Rivulet near Gumferston
  - lacustris  
*Acroloxus lacustris* (Linnaeus, 1758)  
Brook near Tenby & Stackpole ponds
  - ungarica  
*Capulus ungaricus* (Linnaeus, 1758)

- dredged on oysters
- fissura  
*Emarginula fissura* (Linnaeus, 1758)  
D° \_ between Tenby & Caldy
- apertura Montagu, 1803  
*Diodora graeca* (Linnaeus, 1758)  
in sand from south sands & Caldy
- graeca  
*Diodora graeca* (Linnaeus, 1758)  
oyster boats adhering to old shells
- caerulea Montagu, 1803  
*Patella pellucida* Linnaeus, 1758  
on the roots of algae St Catherines rocks
- D° \_ variety  
D° \_ D° \_ & Leadstep Rks
- granularis  
? name does not apply to British shell  
Rocks on the North Sands
- lutea  
??  
D° \_ in pools of water

## Dentalium

- D. entalis  
*Antalis entalis* (Linnaeus, 1758)  
Muscle Bank Gilter & S. Sands
- striatum Montagu, 1803  
*Antalis dentalis* (L. 1758) doubtful not British  
D° \_ D° \_ and dredged off Caldy
- imperforatum  
*Caecum imperforatum* (Kanmacher, 1798)  
on the shore fresh water Ba....
- glabrum  
*Caecum glabrum* (Montagu, 1803)  
in sand from Caldy Island
- laeve Turton, 1819  
*Antalis vulgaris* (E.M. da Costa, 1778)  
near Gilter rock
- labiatum Turton, 1822  
*Antalis vulgaris* (E.M. da Costa, 1778)  
D° \_ and South Sands

## Serpula

- Foraminifera /Polychaeta
- S. spirorbis  
*Laeospira borealis* (Daudin, 1800)  
on stones, old shells & algae
- spirillum  
*Serpula spirillum* Linnaeus, 1758  
on some species of algae
- granulata  
*Bushiella (Jugaria) granulata* (Linnaeus, 1767)  
on the underside loose stones near  
Saundersfoot
- carinata  
*Spirorbis carinatus* Daudin, 1800  
on old valves of *Arca pilosa* & ct
- corrugata  
*Spirorbis corrugatus* (Montagu, 1803)  
on the slate rocks near Saundersfoot

- heterostrophia  
*Janua heterostrophia* (Montagu, 1803)  
on oysters and other old shells & algae
  - sinistrosa  
*Serpula spirillum* Linnaeus, 1758  
on lobsters and other animals
  - minuta Montagu, 1803  
*Janua heterostrophia* (Montagu, 1803)  
on Corallina & ct dredged
  - lucida  
*Serpula spirillum* Linnaeus, 1758  
on Sertularia thrown upon the coast
  - reversa  
*Serpula reversa* Montagu, 1803  
on shells crabs & stones
  - vermicularis  
*Serpula vermicularis* Linnaeus, 1767  
attached its whole length
  - triquetra  
*Serpula triquetra* Linnaeus, 1758  
adhering to stones, old shells & ctr
  - complexa Turton, 1819  
*Filograna implexa* Berkeley, 1835  
dredged up off Caldy Island
  - contortuplicata  
*Serpula contortuplicata* Linnaeus, 1758  
from the bottom of a brig
  - lobata  
*Serpula lobata* Montagu, 1803  
on shells & in fine sand
  - concamerata  
*Eponides concameratus* (Montagu, 1808)  
D° \_ D° \_ & attached to zoophytes
- ## Vermiculum
- Foraminifera /Polychaeta
  - V. incurvatum Kanmacher, 1798  
*Spirorbis incurvatus* Turton, 1802  
in fine sand South Sands
  - pervium Montagu, 1803  
*Spirorbis incurvatus* Turton, 1802  
D° \_ D° \_ & from Caldy Island
  - perforatum  
*Serpula perforata* Walker & Jacob, 1798  
in fine sand
  - intortum  
*Vermiculum intortum* Montagu, 1803  
plentiful on the sandy shores
  - subrotundum  
*Miliolinella subrotunda* (Montagu, 1803)  
D° \_ & from Caldy
  - oblongum  
*Triloculina oblonga* (Montagu, 1803)  
in fine sand from the South Shore
  - lacteum Kanmacher, 1798  
*Vermiculum lacteum* Turton, 1802  
in very fine D° \_
  - striatum Kanmacher, 1798  
*Serpula lagena* Turton, 1802

- in fine sand not common
- globosum  
*Oolina globosa* (Montagu, 1803)  
D° \_ very rare
- laeve  
*Reussoolina laevis* (Montagu, 1803)  
in fine sand very rare
- marginatum  
*Fissurina marginata* (Montagu, 1803)  
from south sands
- retortum  
*Serpula retorta* Walker & Jacob, 1798  
D° \_ very rare
- New shells found at Tenby by  
WL**
- *Chiton sixvalvis*  
Cannot find this name, was probably an aberrant  
specimen  
under loose stones S. Sands
- *Balanus. the conia Lyonsii* of Dr Leach  
This is *Conia lyonsii* Leach ms in J. Sowerby, 1823.  
*Newmanella radiata* (Brug. 1789) Not British it is  
Caribbean  
bottom of a vessel, animal alive
- *B. sulcatus* Brug. 1789  
*Balanus balanus* Linnaeus, 1767  
on the bottom of a vessel alive
- N° 1  
D° \_ D° \_ Animal alive
- N° 2  
D° \_ D° \_ D° \_
- *Tenbiensis*  
a manuscript name  
on shells slate &ctr
- *insculptus*  
Cannot find this name  
adhering to a piece of timber picked up in  
the Bay
- *Teredo sulcata*  
Cannot find this name  
from a piece of wood drifted in the harbour
- *Mya striata Lyonsia striata* of Dr Turton  
*Lyonsia norwegica* (Gmelin, 1791)  
S. sands, Animal alive
- *Mytilus*  
in Tenby Pier Animal alive
- *Buccinum* N° 1  
on the bottom of a vessel in Tenby Pier,  
Animal alive
- *B.* N° 2  
Gilter Rocks
- *Nautilus auricula Auriculum lyonsii* of JG  
Jeffreys  
This is a Foraminifera  
now *Cancris auricula* (Fichtel & Moll, 1798)  
cannot find *lyonsii*
- *N.* N° 1. N° 2. N° 3 & 4. 6. 7  
D° \_ fine sand South Sands
- *Turbo perforatus*

- Cannot find this name  
in sand from D° \_
- *T. crenatus*  
Cannot find this name  
D° \_ and Caldy Island
- *Turbo succinus*  
Cannot find this name  
in fine sand from Caldy
- *Turbo ater*  
Cannot find this name  
D° \_ & South Sands
- *T.* N° 1. 2. 3. 4. & 5  
D° \_ & Caldy some doubtful
- *Helix minima*  
Cannot find this name  
very fine sand from D° \_
- *H. cylindrica*  
Cannot find this name  
near Tenby Pier on old timber covered with  
moss
- *Dentalium arcuatum*  
Cannot find this name
- *Serpula* N° 1 & N° 2.  
in boat rubbish after dredging
- *Vermiculum* N° 1. 2. 3. 4. & 5  
in fine sand from S. sands and